

FOR RELEASE

Media Relations Contact:

Bill Holbrook
(603) 578-3052
bholbrook@vectron.com

Media Relations Contact:

Stephanie Lin
(617) 587-2969
slin@brodeur.com

SenGenuity Announces TempTrackr™ Wireless Temperature Measurement Solution for Unparalleled Portability and Performance

Facilitates Rapid Temperature Measurement Wirelessly for Real-Time, Easy-To-Use OEM and Industrial Process Control Applications

HUDSON, NEW HAMPSHIRE — February 9, 2008 — SenGenuity, the Sensors division of Vectron International, today announced the TempTrackr™ Wireless Temperature Measurement Solution, designed to provide users of the passive (no power/battery required) and wireless TFSS433D family of surface acoustic wave (SAW) sensors with unparalleled mobility, portability, robustness and performance for real-time in-process temperature sensing applications. It provides a quick and easy-to-use solution that facilitates rapid temperature data visualization and acquisition from the process engineer to quality control personnel, while providing system integrators and OEMs a platform for customized solutions.

SenGenuity's TempTrackr™ kit includes four passive wireless temperature sensors that are capable of reading temperatures between 0 and 120 degrees C from a maximum interrogation distance of 70 inches. The wireless sensors are powered by bursts of RF emitted by a wireless interrogator which excite SAW resonators within each sensor. A feedback signal conditioned by the temperature is then created by the resonator and fed back electromagnetically to the wireless interrogator using the same antenna set.

“Our customers frequently come to us looking for ways to empower their designers with a cost effective leading edge solution to determine temperature in a very portable and easy-to-install wireless sensing

For more information:

USA:

Vectron International, 267 Lowell Road, Hudson NH 03051
Tel: 1-88-VECTRON-1 Fax: 1-888-FAX-VECTRON
e-mail: vectron@vectron.com Internet: <http://www.vectron.com>

Europe:

Vectron International, Landstrasse, D-74924 Neckarbischofsheim Germany
Tel: 49 (0) 7268 8010 Fax: 49 (0) 7268 801281

Asia:

1F-2F, No 8 Workshop No. 308 Fenju Road WaiGaoQiao Free Trade Zone Pudong, Shanghai, China 200131
Tel: 86 21 5048 0777 Fax: 86 21 5048 1881

system. This demand is particularly high in applications where traditional wired sensor implementation is hindered by location or environment, such as rotating equipment,” said Kerem Durdag, director of sales and marketing. “Our new TempTrackr™ wireless temperature measurement solution will revolutionize this process by providing end-customers and system integrators with real-time wireless solutions with batteryless temperature sensors.”

The TempTrackr™ can be used with any of SenGenuity’s TFSS433D wireless temperature sensors which use robust and reliable semiconductor technology and are installed in challenging applications. The TempTrackr™ kit includes four passively operated TFSS433D sensors with four dipole antennas for each of the sensors. Also included is a wireless interrogator with its own dipole antenna, accompanied with a USB connector to facilitate connectivity to any computer for data visualization and acquisition.

“Customers are increasingly demanding cost effective sensor solutions that can ease their installation and data acquisition burden, particularly for applications that require multiple points of measurement,” said Durdag. “The TempTrackr™ facilitates a far higher degree of flexibility in data acquisition from multiple process control points for measuring temperature when deploying our wireless temperature sensors and is ideal for those applications for which mobility and portability are of paramount importance.”

The TempTrackr™ provides a streamlined wireless SAW sensor interrogation solution that requires minimal real estate allowing flexibility for system engineers to add significant value-add to their designs. Additionally, customers can leverage the TempTrackr™ to work with SenGenuity on customized solutions for their particular needs and requirements.

For more information on the TempTrackr™ and the TFSS433D wireless temperature sensor family please contact SenGenuity’s fluid sensors sales team at (603) 578-4066. For more information on other Acoustic

For more information:

USA:

Vectron International, 267 Lowell Road, Hudson NH 03051

Tel: 1-88-VECTRON-1 Fax: 1-888-FAX-VECTRON

e-mail: vectron@vectron.com Internet: <http://www.vectron.com>

Europe:

Vectron International, Landstrasse, D-74924 Neckarbischofsheim Germany

Tel: 49 (0) 7268 8010 Fax: 49 (0) 7268 801281

Asia:

1F-2F, No 8 Workshop No. 308 Fenju Road WaiGaoQiao Free Trade Zone Pudong, Shanghai, China 200131

Tel: 86 21 5048 0777 Fax: 86 21 5048 1881

Wave Sensors from Vectron please contact a customer service representative at 1-88-VECTRON-1 or visit www.sengenuity.com.

About SenGenuity, a division of Vectron International

SenGenuity, an operating division of Vectron International, is a leading provider of breakthrough sensor solutions for performance and reliability in critical data gathering applications. Coupling its state-of-the-art precision sensor solutions with Vectron's surface and bulk acoustic wave (SAW and BAW) technology, SenGenuity delivers innovative solutions for measuring the condition of fluids in challenging, embedded environments, and is driving the development of breakthrough solutions for gas and physical sensing applications.

About Vectron International

Vectron International is a world leader in the design, manufacture and marketing of frequency control, sensor, and hybrid product solutions. Vectron solves complex timing, filtering and sensor challenges by delivering customized solutions that speed time to market and offer low total cost of ownership. Vectron uses the very latest techniques in both bulk acoustic wave (BAW) and surface acoustic wave (SAW) based designs from DC to microwave frequencies. Committed to the industry's highest quality service standard and complete satisfaction, Vectron International leverages its global footprint and 50 years of experience to help customers achieve competitive differentiation and improve their bottom line. Vectron International is headquartered in Hudson, NH and has operating facilities and sales offices in North America, Europe and Asia. For more information, please call 1-88-VECTRON-1 or visit www.vectron.com.

For more information:

USA:

Vectron International, 267 Lowell Road, Hudson NH 03051
Tel: 1-88-VECTRON-1 Fax: 1-888-FAX-VECTRON
e-mail: vectron@vectron.com Internet: <http://www.vectron.com>

Europe:

Vectron International, Landstrasse, D-74924 Neckarbischofsheim Germany
Tel: 49 (0) 7268 8010 Fax: 49 (0) 7268 801281

Asia:

1F-2F, No 8 Workshop No. 308 Fenju Road WaiGaoQiao Free Trade Zone Pudong, Shanghai, China 200131
Tel: 86 21 5048 0777 Fax: 86 21 5048 1881